

National Space Biomedical Research Institute Publications

Muscle Alterations and Atrophy Research Team

Articles

Adams, G. R., V. J. Caiozzo, and K. M. Baldwin. Skeletal muscle unweighting: spaceflight and ground-based models. *J Appl Physiol* 95(6):2185-2201, 2003.

Adams, G. R., V. J. Caiozzo, F. Haddad, and K. M. Baldwin. Cellular and molecular responses to increased skeletal muscle loading after irradiation. *Am J Physiol Cell Physiol* 283(4):C1182-C1195, 2002.

Adams, G. R., D. C. Cheng, F. Haddad, and K. M. Baldwin. Skeletal muscle hypertrophy in response to isometric, lengthening and shortening training bouts of equivalent duration. *J Appl Physiol* 96:1613-1618, 2004.

Adams, G. R., F. Haddad, and K. M. Baldwin. Time course of changes in markers of myogenesis in overloaded rat skeletal muscles. *J Appl Physiol* 87(5):1705-1712, 1999.

Arbogast, S., and M. B. Reid. Oxidant activity in skeletal muscle fibers is influenced by temperature, CO₂ level, and muscle-derived nitric oxide. *Am J Physiol Regul Integr Comp Physiol* 287(4):R698-705, 2004.

Baldwin, K. M., and F. Haddad. Effects of different activity and inactivity paradigms on myosin heavy chain expression in striated muscle: invited review. *J Appl Physiol* 90(1):345-357, 2001.

Baldwin, K. M., and F. Haddad. Skeletal muscle plasticity: cellular and molecular responses to altered physical activity paradigms. *Am J Phys Med Rehabil* 81(11 Suppl):S40-S51, 2002.

Barral, J. M., and H. F. Epstein. Protein machines and self-assembly in muscle organization. *Bioessays* 21(10):813-823, 1999.

Beers, D. R., B. K. Ho, L. Siklos, M. E. Alexianu, D. R. Mosier, A. H. Mohamed, Y. Otsuka, M. E. Kozovska, R. E. McAlhany, R. G. Smith, and S. H. Appel. Parvalbumin overexpression alters immune-mediated increases in intracellular calcium, and delays disease onset in a transgenic model of familial amyotrophic lateral sclerosis. *J Neurochem* 79(3):499-509, 2001.

Belaguli, N. S., J. L. Sepulveda, V. Nigam, F. Charron, M. Nemar, and R. J. Schwartz. Cardiac tissue enriched factors serum response factor and GATA-4 are mutual coregulators. *Mol Cell Biol* 20(20):7550-7558, 2000.

Bey, L., N. Akunuri, P. Zhao, E. P. Hoffman, D. G. Hamilton, and M. T. Hamilton. Patterns of global gene expression in rat skeletal muscle during unloading and low-intensity ambulatory activity. *Physiol Genomics* 13(2):157-167, 2003.

Bey, L., and M. T. Hamilton. Suppression of skeletal muscle lipoprotein lipase activity during physical inactivity: a molecular reason to maintain daily low-intensity activity. *J Physiol (London)* 551(Pt 2):673-682, 2003.

Caiozzo, V. J., C. Rose-Gottron, K. M. Baldwin, D. Cooper, G. Adams, J. Hicks, and A. Kreitenberg. Hemodynamic and metabolic responses to hypergravity on a human-powered centrifuge. *Aviat Space Environ Med* 75(2):101-108, 2004.

Chase, P. B., J. M. MacPherson, and T. L. Daniel. A spatially explicit nanomechanical model of the half-sarcomere: Myofilament compliance affects Ca^{2+} -activation. *Ann Biomed Eng* 32(11):1559-68, 2004.

Clancy, J., H. Takeshima, S. L. Hamilton, and M. B. Reid. Contractile function is unaltered in diaphragm from mice lacking the calcium release channel isoform 3. *Am J Physiol* 277(4.2):R1205-R1209, 1999.

Criswell, D. A., F. W. Booth, F. DeMayo, R. J. Schwartz, S. E. Gordon, and M. L. Fiorotto. Overexpression of IGF-I in skeletal muscle of transgenic mice does not prevent unloading-induced atrophy. *Am J Physiol Endocrinol Metab* 275(3.1):E373-E379, 1998.

Dentel, J. N., S. G. Blanchard, D. P. Ankrapp, L. R. McCabe, and R. W. Wiseman. Inhibition of cross-bridge formation has no effect on contraction-associated phosphorylation of p38 MAPK in mouse skeletal muscle. *Am J Physiol Cell Physiol* 288(4):C824-30, 2005.

Deruisseau, K. C., R. A. Shanely, N. Akunuri, M. T. Hamilton, D. Van Gammeren, A. M. Zergeroglu, M. McKenzie, and S. K. Powers. Diaphragm unloading via controlled mechanical ventilation alters the gene expression profile. *Am J Respir Crit Care Med* 172(10):1267-75, 2005.

Di Maso, N. A., F. Haddad, M. Zeng, S. A. McCue, and K. M. Baldwin. Role of denervation in modulating IIB MHC gene expression in response to T_3 plus unloading state. *J Appl Physiol* 88(2):682-689, 2000.

Draghia-Akli, R., M. L. Fiorotto, L. A. Hill, P. B. Malone, D. R. Deaver, and R. J. Schwartz. Myogenic expression of an injectable protease resistant growth hormone-releasing hormone augments long-term pig growth. *Nature Biotechnol* 17(12):1179-1183, 1999.

Durham, W. J., Y. P. Li, E. Gerken, M. Farid, S. Arbogast, R. R. Wolfe, and M. B. Reid. Fatiguing exercise reduces DNA-binding activity of NF- κ B in skeletal muscle nuclei. *J Appl Physiol* 97(5):1740-45, 2004.

Farid, M., M. B. Reid, Y. P. Li, E. Gerken, and W. J. Durham. Effects of dietary curcumin or N-acetylcysteine on NF- κ B activity and contractile performance in ambulatory and unloaded murine soleus. *Nutr Metab (Lond)* 2:20, 2005.

Finni, T., J. A. Hodgson, A. M. Lai, V. R. Edgerton, and S. Sinha. Mapping of movement in the isometrically contracting human soleus muscle reveals details of its structural and functional complexity. *J Appl Physiol* 95(5):2128-2133, 2003.

Finni, T., J. A. Hodgson, A. M. Lai, V. R. Edgerton, and S. Sinha. Muscle synergism during isometric plantarflexion in Achilles tendon rupture patients and in normal subjects revealed by velocity-encoded cine phase-contrast MRI. *Clin Biomech* 21(1):67-74, 2006.

Finni, T., J. A. Hodgson, A. M. Lai, V. R. Edgerton, and S. Sinha. Nonuniform strain of human soleus aponeurosis-tendon complex during submaximal voluntary contractions in vivo. *J Appl Physiol* 95(2):829-837, 2003.

Garma T, Kobayashi C, Haddad F, Adams GR, Bodell PW, Baldwin KM. Similar acute molecular responses to equivalent volumes of isometric, lengthening or shortening mode resistance exercise. *J Appl Physiol*. 2007 Jan;102(1):135-43.

Giger, J. M., F. Haddad, A. X. Qin, and K. M. Baldwin. In vivo regulation of the β -myosin heavy chain gene in soleus muscle of suspended and weight-bearing rats. *Am J Physiol Cell Physiol* 278(6):C1153-C1161, 2000.

Gomes, M. D., S. H. Lecker, R. T. Jagoe, A. Navon, and A. L. Goldberg. Atrogin-1, a muscle-specific F-box protein highly expressed during muscle atrophy. *Proc Natl Acad Sci* 98(25):14440-14445, 2001.

Gooch, C. L., and D. R. Mosier. Stimulated single fiber electromyography in the mouse: techniques and normative data. *Muscle Nerve* 24(7):941-945, 2001.

Grill, M. A., M. A. Bales, A. N. Fought, K. C. Rosburg, S. J. Munger, and P. B. Antin. Tetracycline-inducible system for regulation of skeletal muscle-specific gene expression in transgenic mice. *Transgenic Res* 12(1):33-43, 2003.

Haddad, F., and G. R. Adams. Aging-sensitive cellular and molecular mechanisms associated with skeletal muscle hypertrophy. *J Appl Physiol* 100(4):1188-203, 2006.

Haddad, F., G. R. Adams, P. W. Bodell, and K. M. Baldwin. Isometric resistance exercise fails to counteract skeletal muscle atrophy processes during the initial stages of unloading. *J Appl Physiol* 100(2):433-41, 2006.

Haddad, F., K. M. Baldwin, and P. A. Tesch. Pretranslational markers of contractile protein expression in human skeletal muscle: Effect of limb unloading plus resistance exercise. *J Appl Physiol* 98(1):46-52, 2005.

Haddad, F., R. R. Roy, H. Zhong, V. R. Edgerton, and K. M. Baldwin. Atrophy responses to muscle inactivity. I. Cellular markers of protein deficits. *J Appl Physiol* 95(2):781-790, 2003.

Haddad, F., R. R. Roy, H. Zhong, V. R. Edgerton, and K. M. Baldwin. Atrophy responses to muscle inactivity. II. Molecular markers of protein deficits. *J Appl Physiol* 95(2):791-802, 2003.

Hamilton, M. T., D. G. Hamilton, and T. W. Zderic. Exercise physiology versus inactivity physiology: an essential concept for understanding lipoprotein lipase regulation. *Exerc Sport Sci Rev* 32(4):161-6, 2004.

Hancock, C. R., J. J. Brault, R. W. Wiseman, R. L. Terjung and R. A. Meyer. ³¹P-NMR observation of free ADP during fatiguing, repetitive contractions of murine skeletal muscle lacking AK1. *Am J Physiol Cell Physiol* 288(6):C1298-304, 2005.

Heinemeier KM, Olesen JL, Schjerling P, Haddad F, Langberg H, Baldwin KM, Kjaer M. Short-term strength training and the expression of myostatin and IGF-I isoforms in rat muscle and -tendon: Differential effects of specific contraction types. *J Appl Physiol*. 2006 Oct 12 [Epub ahead of print]

Hirschfield, W., M. R. Moody, W. E. O'Brian, A. R. Gregg, R. M. Bryan, Jr., and M. B. Reid. Nitric oxide release and contractile properties of skeletal muscles from mice deficient in type III NOS. *Am J Physiol Regul Integr Comp Physiol* 278(1):R95-R100, 2000.

Hodgson, J. A., T. Finni, A. M. Lai, V. R. Edgerton, and S. Sinha. Influence of structure on the tissue dynamics of the human soleus muscle observed in MRI studies during isometric contractions. *J Morphol* 267(5):584-601, 2006.

Hunter, R. B., and S. C. Kandarian. Disruption of either the Nfkb1 or the Bcl3 gene inhibits skeletal muscle atrophy. *J Clin Invest* 114(10):1504-11, 2004.

Ingalls, C. P., G. L. Warren, and R. B. Armstrong. Intracellular Ca²⁺ transients in mouse soleus muscle after hindlimb unloading and reloading. *J Appl Physiol* 87(1):386-390, 1999.

Jackman, R. W., and S. C. Kandarian. The molecular basis of skeletal muscle atrophy. *Am J Physiol Cell Physiol* 287:C834-C843, 2004.

Jago, R. T., S. H. Lecker, M. Gomes, and A. L. Goldberg. Patterns of gene expression in atrophying skeletal muscles: response to food deprivation. *FASEB J* 16(13):1697-1712, 2002.

Jin, S., M. Shimizu, A. Balasubramanyam, and H. F. Epstein. Myotonic dystrophy protein kinase (DMPK) induces actin cytoskeletal reorganization and apoptotic-like blebbing in lens cells. *Cell Motil Cytoskel* 45(2):133-148, 2000.

Judge AR, Koncarevic A, Hunter RB, Liou HC, Jackman RW, Kandarian SC. A role for I {kappa} B {alpha}, but not c-Rel, in skeletal muscle atrophy.. *Am J Physiol Cell Physiol*. 2006 Aug 23;[Epub ahead of print].

Kandarian, S. C., and E. J. Stevenson. Molecular events in skeletal muscle during disuse atrophy. *Exerc Sport Sci Rev* 30(3):111-116, 2002.

Kataoka A, Tanner BCW, Macpherson JM, Xu X, Wang Q, Regnier M, Daniel TL, Chase PB. Spatially explicit, nano-mechanical models of the muscle half-sarcomere: Implications for biomechanical tuning in atrophy and fatigue. *Acta Astronaut.* 2007 Jan;60(2):111-8.

Kisselev, A. F., A. Callard, and A. L. Goldberg. Importance of different active sites in protein breakdown by 26S proteasomes and efficacy of proteasome inhibition depends on the protein substrate. *J Biol Chem* 281:8582-90, 2006.

Kushmerick, M. J., and K. E. Conley. Energetics of muscle contraction: the whole is less than the sum. *Biochem Soc Trans* 30(2):227-231, 2002.

Lambeth, M. J., and M. J. Kushmerick. A computational model for glycogenolysis in skeletal muscle. *Ann Biomed Eng* 30(6):808-827, 2002.

Lecker, S. H., R. T. Jagoe, A. Gilbert, M. Gomes, V. Baracos, J. Bailey, S. R. Price, W. E. Mitch, and A. L. Goldberg. Multiple types of skeletal muscle atrophy involve a common program of changes in gene expression. *FASEB J* 18(1):39-51, 2004.

Lecker, S. H., V. Solomon, S. R. Price, Y. T. Kwon, W. E. Mitch, and A. L. Goldberg. Ubiquitin conjugation by the N-end rule pathway and mRNAs for its components increase in muscles of diabetic rats. *J Clin Invest* 104(10):1411-1420, 1999.

Lee, H. D., T. Finni, J. A. Hodgson, A. M. Lai, V. R. Edgerton, and S. Sinha. Soleus aponeurosis strain distribution following chronic unloading in humans-an in vivo MR phase-contrast study. *J Appl Physiol* 100(6):2004-11, 2006.

Li, X., E. M. Eastman, R. J. Schwartz, and R. Draghia-Akli. Synthetic muscle promoters: activities exceeding naturally occurring regulatory sequences. *Nature Biotechnol* 17(12):241-245, 1999.

Li, Y. P., C. M. Atkins, J. D. Sweatt, and M. B. Reid. Mitochondria mediate TNF α /NF- κ B signaling in skeletal muscle myotubes. *Antiox Redox Signal* 1(1):97-104, 1999.

Li, Y. P., Y. Chen, J. John, J. Moylan, B. Jin, D. L. Mann, and M. B. Reid. TNF-alpha acts via p38 MAPK to stimulate expression of the ubiquitin ligase atrogin1/MAFbx in skeletal muscle. *FASEB J* 19(3):362-70, 2005.

Li, Y. P., Y. Chen, A. Li, and M. B. Reid. Hydrogen peroxide stimulates ubiquitin-conjugating activity and expression of genes for specific E2 and E3 proteins in skeletal muscle myotubes. *Am J Physiol Cell Physiol.* 285(4):C806-C812, 2003.

Li, Y. P., S. H. Lecker, Y. Chen, I. D. Waddell, A. L. Goldberg, and M. B. Reid. TNF-alpha increases ubiquitin-conjugating activity in skeletal muscle by up-regulating UbcH2/E220k. *FASEB J* 17(9):1048-1057, 2003.

Liu, F., I. Ortiz, A. Hutagalung, C. C. Bauer, R. G. Cook and H. F. Epstein. Differential assembly of alpha- and gamma-filagenins into thick filaments of distinct lengths is developmentally regulated in *Caenorhabditis elegans*. *J Cell Sci* 113(Pt 2):4001-4012, 2000.

Matuszczak, Y., S. Arbogast, and M. B. Reid. Allopurinol mitigates muscle contractile dysfunction caused by hindlimb unloading in mice. *Aviat Space Environ Med* 75(7):581-588, 2004.

Matuszczak, Y., M. Farid, J. Jones, S. Lansdowne, M. A. Smith, A. A. Taylor, and M. B. Reid. Effects of N-acetylcysteine on glutathione oxidation and fatigue during handgrip exercise. *Muscle Nerve* 32(5):633-638, 2005.

McCall, G. E., D. L. Allen, F. Haddad, and K. M. Baldwin. Transcriptional regulation of IGF-I expression in skeletal muscle. *Am J Physiol Cell Physiol* 285(4):C831-C839, 2003.

Mohamed, H. A., D. R. Mosier, L. L. Zou, L. Siklos, M. E. Alexianu, J. I. Engelhardt, D. R. Beers, W. D. Le, and S. H. Appel. Immunoglobulin Fc gamma receptor promotes immunoglobulin uptake, immunoglobulin-mediated calcium increase, and neurotransmitter release in motor neurons. *J Neurosci Res* 69(1):110-116, 2002.

Moore, C. P., J. Z. Zhang, and S. L. Hamilton. A role for cysteine 3635 of RyR1 in redox modulation and calmodulin binding. *J Biol Chem* 274(52):36831-36834, 1999.

Mosier, D. R., L. Siklós, and S. H. Appel. Resistance of extraocular motoneuron terminals to effects of amyotrophic lateral sclerosis sera. *Neurology* 54(1):252-255, 2000.

Olesen, J. L., K. M. Heinemeier, F. Haddad, H. Langberg, A. Flyvbjerg, M. Kjaer, and K. M. Baldwin. Expression of insulin-like growth factor I, insulin-like growth factor binding proteins, and collagen mRNA in mechanically loaded plantaris tendon. *J Appl Physiol* 101(1):183-8, 2006.

Ontiveros, C., R. Irwin, R. W. Wiseman, and L. R. McCabe. Hypoxia suppresses runx2 independent of modeled microgravity. *J Cell Physiol* 200(2):169-76, 2004.

Reid, M. Response of the ubiquitin-proteasome pathway to changes in muscle activity. *Am J Physiol Regul Integr Comp Physiol* 288(6): R1423-31, 2005

Roman, B. B., R. A. Meyer, and R. W. Wiseman. Phosphocreatine kinetics at the onset of contractions in skeletal muscle of MM creatine kinase knockout mice. *Am J Physiol Cell Physiol* 283(6):C1776-C1783, 2002.

Sacheck, J. M., A. Ohtsuka, S. C. McLary, and A. L. Goldberg. IGF-I stimulates muscle growth by suppressing protein breakdown and expression of atrophy-related ubiquitin ligases, atrogin-1 and MuRF1. *Am J Physiol Endocrinol Metab* 287(4):E591-601, 2004.

Sandri, M., C. Sandri, A. Gilbert, C. Skurk, E. Calabria, A. Picard, K. Walsh, S. Schiaffino, S. H. Lecker, and A. L. Goldberg. Foxo transcription factors induce the atrophy-related ubiquitin ligase atrogin-1 and cause skeletal muscle atrophy. *Cell* 117(3):399-412, 2004.

Schoffstall, B., A. Kataoka, A. Clark, and P. B. Chase. Effects of rapamycin on cardiac and skeletal muscle contraction and crossbridge cycling. *J Pharmacol Exp Ther* 312(1):12-8, 2005.

Shimizu, M., W. Wang, E. T. Walch, P. W. Dunne, and H. F. Epstein. Rac-1 and Raf-1 kinases, components of distinct signaling pathways, activate myotonic dystrophy protein kinase. *FEBS Lett* 475(3):273-277, 2000.

Sinha, S., J. A. Hodgson, T. Finni, A. M. Lai, J. Grinstead, and V. R. Edgerton. Muscle kinematics during isometric contraction: Development of phase contrast and spin tag techniques to study healthy and atrophied muscles. *J Magn Reson Imaging* 20(6): 1008-19, 2004.

Smith, M. A., and M. B. Reid. Redox modulation of contractile function in respiratory and limb skeletal muscle. *Respir Physiol Neurobiol* 151(2-3):229-41, 2006.

Solomon, V., S. H. Lecker, and A. L. Goldberg. The N-end rule pathway catalyzes a major fraction of the protein degradation in skeletal muscle. *J Biol Chem* 273(39):25216-25222, 1998.

Solomon, V., V. Baracos, P. Sarraf, and A. L. Goldberg. Rates of ubiquitin conjugation increase when muscles atrophy, largely through activation of the N-end rule pathway. *Proc Natl Acad Sci* 95(21):12602-12607, 1998.

Stevenson, E. J., P. G. Giresi, A. Koncarevic, and S. C. Kandarian. Global analysis of gene expression patterns during disuse atrophy in rat skeletal muscle. *J Physiol* 551(Pt 1):33-48, 2003.

Stevenson, E. J., A. Koncarevic, P. G. Giresi, R. W. Jackman, and S. C. Kandarian. Transcriptional profile of a myotube starvation model of atrophy. *J Appl Physiol* 98(4):1396-406, 2005.

Zderic, T. W., and M. T. Hamilton. Physical inactivity amplifies the sensitivity of skeletal muscle to the lipid-induced downregulation of lipoprotein lipase activity. *J Appl Physiol* 100(1):249-57, 2006.